


Minimal State DFA

Thm The minimum state DFA for a regular language L is unique up to isomorphism (renaming of states).

This is a corollary of the Myhill Nerode thm and corresponds to the eqv classes of R_L

Given any DFA M for L



For any machine M , $\# \text{states of } M' \leq \# \text{states of } M$

Consider a machine M which the same no of states as M'

We want to map the states
of M to M'

Let q be a state of M then

clearly for some $x \in \Sigma^*$

$$\hat{\delta}(q_0, x) = q \quad \left(\begin{array}{l} \text{otherwise } M \text{ is} \\ \text{not min state} \end{array} \right)$$

$$q \rightarrow [x] \quad \left(\text{corresponding to } R_2 \right)$$

for consistency verify that for any
other y s.t. $\hat{\delta}(q_0, y) = q$

$$[y] = [x]$$

Since x and y belong to the same
state they are in the same eqv
class of $R_M \Rightarrow$ they are in same
eqv class of R_2

To complete the proof show that


$$\delta(q, a) = \delta([x], a) = [xa]$$

(this is how M' was constructed)

Constructing min state DFA

Since this is related to R_L
which is above string x, y
behaving identically with respect
to acceptance / non-acceptance for
any concatenate string z ,

no accepting state can be equ to
non-accepting state because it must



Consider a pair of state p, q


We cannot club p and q if
for some string $z \in \Sigma^*$

$$\hat{\delta}(p, z) \in Q - F \text{ and } \hat{\delta}(q, z) \in F$$

or vice versa

\Rightarrow If (p', q') are not equ then
 p, q are not equ if $\delta(p, a) = p'$
 $\delta(q, a) = q'$


Define a graph whose vertices correspond to $Q \times Q$ and edges correspond to



degree of a vertex equals $|\Sigma| = k$

Initially 'mark' all pairs known to be not equivalent, viz $F \times (Q - F)$

A special case of "Coarsest partitioning problem"




Try it in this

Only (A, B) can be clubbed

$(A, B) \xrightarrow{0} (B, B)$
 $(A, B) \xrightarrow{1} (C, C)$

Since the states are same in both cases, they cannot be distinguished by any string.

Therefore A, B can be clubbed & the final Min state automaton will be



The transitions of the new machine can be thought of as graph-contraction, i.e. once vertices are merged, the edges are between merged vertices

Argue why we cannot have a situation after merging vertices, i.e. no non-determin transitions

