

# Learning in Bayes Nets


**Mausam**

(Based on slides by Stuart Russell,  
Subbarao Kambhampati, Dan Weld)


# Parameter Estimation

- Learn all the CPTs in a Bayesian Net
- Data → Model → Queries
- Key idea: counting!

# Burglars and Earthquakes




# Counting



E	B	A	#
0	0	0	1000
0	0	1	10
0	1	0	20
0	1	1	100
1	0	0	200
1	0	1	50
1	1	0	0
1	1	1	5

	Pr(A   E,B)
e,b	
e, $\bar{b}$	
$\bar{e}$ ,b	
$\bar{e}$ , $\bar{b}$	

# Counting




E	B	A	#
0	0	0	1000
0	0	1	10
0	1	0	20
0	1	1	100
1	0	0	200
1	0	1	50
1	1	0	0
1	1	1	5

	Pr(A   E,B)
e,b	
e, $\bar{b}$	
$\bar{e}$ ,b	
$\bar{e}$ , $\bar{b}$	

$$\begin{aligned}
 P(a | \bar{e}, \bar{b}) &= ? \\
 &= 10/1010
 \end{aligned}$$

# Counting




E	B	A	#
0	0	0	1000
0	0	1	10
0	1	0	20
0	1	1	100
1	0	0	200
1	0	1	50
1	1	0	0
1	1	1	5

	Pr(A   E,B)
e,b	
e, $\bar{b}$	
$\bar{e}$ ,b	
$\bar{e}$ , $\bar{b}$	~0.01

$$P(a | \bar{e}, b) = ?$$

$$= 100/120$$

# Counting




E	B	A	#
0	0	0	1000
0	0	1	10
0	1	0	20
0	1	1	100
1	0	0	200
1	0	1	50
1	1	0	0
1	1	1	5

	Pr(A   E,B)
e,b	
e, $\bar{b}$	
$\bar{e}$ ,b	0.83
$\bar{e}$ , $\bar{b}$	$\sim 0.01$

$$\begin{aligned}
 P(a|e, \bar{b}) &= ? \\
 &= 50/250
 \end{aligned}$$

# Counting



E	B	A	#
0	0	0	1000
0	0	1	10
0	1	0	20
0	1	1	100
1	0	0	200
1	0	1	50
1	1	0	0
1	1	1	5


	Pr(A   E,B)
e,b	
e, $\bar{b}$	0.2
$\bar{e}$ ,b	0.83
$\bar{e}$ , $\bar{b}$	~0.01

$$P(a|e, b) = ?$$

$$= 5/5$$



# Counting



E	B	A	#
0	0	0	1000
0	0	1	10
0	1	0	20
0	1	1	100
1	0	0	200
1	0	1	50
1	1	0	0
1	1	1	5

	Pr(A   E,B)
e,b	1
e, $\bar{b}$	0.2
$\bar{e}$ ,b	0.83
$\bar{e}$ , $\bar{b}$	~0.01


Bad idea to have prob as 0 or 1

- stumps Gibbs sampling
- low prob states become impossible

# Solution: Smoothing

- Why?
  - To deal with events observed zero times.
  - “event”: a particular ngram
- How?
  - To shave a little bit of probability mass from the higher counts, and pile it instead on the zero counts
- Laplace Smoothing/Add-one smoothing
  - assume each event was observed at least once.
  - add 1 to all frequency counts
- Add  $m$  instead of 1 ( $m$  could be  $>$  or  $<$  1)

# Counting w/ Smoothing



E	B	A	#
0	0	0	1000+1
0	0	1	10+1
0	1	0	20+1
0	1	1	100+1
1	0	0	200+1
1	0	1	50+1
1	1	0	0+1
1	1	1	5+1

	Pr(A   E,B)
e,b	0.86
e, $\bar{b}$	~0.2
$\bar{e}$ ,b	~0.83
$\bar{e}$ , $\bar{b}$	~0.01

# ML vs. MAP Learning

- **ML: maximum likelihood (what we just did)**
  - find parameters that maximize the prob of seeing the data  $D$
  - $\operatorname{argmax}_{\theta} P(D | \theta)$
  - easy to compute (for example, just counting)
  - assumes **uniform prior**
- **Prior: your belief before seeing any data**
  - **Uniform prior:** all parameters equally likely
- **MAP: maximum a posteriori estimate**
  - maximize prob of parameters after seeing data  $D$
  - $\operatorname{argmax}_{\theta} P(\theta | D) = \operatorname{argmax}_{\theta} P(D | \theta)P(\theta)$
  - allows user to input additional domain knowledge
  - better parameters when data is sparse...
  - reduces to ML when infinite data

## Example

Suppose there are five kinds of bags of candies:


10% are  $h_1$ : 100% cherry candies

20% are  $h_2$ : 75% cherry candies + 25% lime candies

40% are  $h_3$ : 50% cherry candies + 50% lime candies

20% are  $h_4$ : 25% cherry candies + 75% lime candies

10% are  $h_5$ : 100% lime candies



Then we observe candies drawn from some bag: ● ● ● ● ● ● ● ● ● ●

What kind of bag is it? What flavour will the next candy be?

Learning

Inference


# Full Bayesian learning

View learning as Bayesian updating of a probability distribution over the hypothesis space

$H$  is the hypothesis variable, values  $h_1, h_2, \dots$ , prior  $\mathbf{P}(H)$

$j$ th observation  $d_j$  gives the outcome of random variable  $D_j$

training data  $\mathbf{d} = d_1, \dots, d_N$



Given the data so far, each hypothesis has a posterior probability:

$$P(h_i|\mathbf{d}) = \alpha P(\mathbf{d}|h_i)P(h_i)$$


where  $P(\mathbf{d}|h_i)$  is called the likelihood

Predictions use a likelihood-weighted average over the hypotheses:

$$\mathbf{P}(X|\mathbf{d}) = \sum_i \mathbf{P}(X|\mathbf{d}, h_i)P(h_i|\mathbf{d}) = \sum_i \mathbf{P}(X|h_i)P(h_i|\mathbf{d})$$


No need to pick one best-guess hypothesis!

# Posterior probability of hypotheses



True hypothesis eventually dominates...  
 probability of indefinitely producing uncharacteristic data  $\rightarrow 0$

# Prediction probability





# ML vs. MAP Learning

- **ML: maximum likelihood (what we just did)**
  - find parameters that maximize the prob of seeing the data  $D$
  - $\operatorname{argmax}_{\theta} P(D | \theta)$
  - easy to compute (for example, just counting)
  - assumes **uniform prior**
- **Prior: your belief before seeing any data**
  - **Uniform prior:** all parameters equally likely
- **MAP: maximum a posteriori estimate**
  - maximize prob of parameters after seeing data  $D$
  - $\operatorname{argmax}_{\theta} P(\theta | D) = \operatorname{argmax}_{\theta} P(D | \theta)P(\theta)$
  - allows user to input additional domain knowledge
  - better parameters when data is sparse...
  - reduces to ML when infinite data


# Learning the Structure

- Problem: learn the structure of Bayes nets
- Search thru the space...
  - of possible network structures!
  - Heuristic search/local search
- For each structure, learn parameters
- Pick the one that fits observed data best
  - Caveat – won't we end up fully connected????

When scoring, add a penalty

$\propto$  model complexity


# Local Search



# How to learn when some data missing?

- Expectation Maximization (EM)

# Example




<b>Examples:</b>	0	1	1
	1	0	0
	1	1	1
	1	?	0

**Initialization:**  $P(B|A) =$   $P(C|B) =$   
 $P(A) =$   $P(B|\neg A) =$   $P(C|\neg B) =$

# Chicken & Egg Problem

- If we knew the missing value
  - It would be easy to learn CPT
  
- If we knew the CPT
  - Then it'd be easy to infer the (probability of) missing value
  
- But we do not know either!

## Example



<b>Examples:</b>	0	1	1
	1	0	0
	1	1	1
	1	?	0


**Initialization:**  $P(B|A) = 0$                        $P(C|B) = 0$   
 $P(A) = 0.75$                        $P(B|\neg A) = 0$                        $P(C|\neg B) = 0$

**E-step:**  $P(? = 1) = P(B|A, \neg C) = \frac{P(A, B, \neg C)}{P(A, \neg C)} = \dots = 0$

**M-step:**                       $P(B|A) =$                        $P(C|B) =$   
 $P(A) =$                        $P(B|\neg A) =$                        $P(C|\neg B) =$

**E-step:**  $P(? = 1) =$

## Example



<b>Examples:</b>	0	1	1
	1	0	0
	1	1	1
	1	0	0

**Initialization:**  $P(B|A) = 0$                        $P(C|B) = 0$   
 $P(A) = 0.75$                $P(B|\neg A) = 0$                        $P(C|\neg B) = 0$

**E-step:**  $P(? = 1) = P(B|A, \neg C) = \frac{P(A, B, \neg C)}{P(A, \neg C)} = \dots = 0$

**M-step:**                       $P(B|A) = 0.33$                        $P(C|B) = 1$   
 $P(A) = 0.75$                $P(B|\neg A) = 1$                        $P(C|\neg B) = 0$

**E-step:**  $P(? = 1) =$



# Expectation Maximization


- **Guess** probabilities for nodes with **missing values** (e.g., based on other observations)
- **Compute the probability distribution** over the missing values, given our guess
- **Update the probabilities** based on the guessed values
- **Repeat** until convergence
- Guaranteed to converge to local optimum

# Learning Summary


- **Known structure, fully observable:** only need to do parameter estimation
- **Unknown structure, fully observable:** do heuristic/local search through structure space, then parameter estimation
- **Known structure, missing values:** use expectation maximization (EM) to estimate parameters
- **Known structure, hidden variables:** apply adaptive probabilistic network (APN) techniques
- **Unknown structure, hidden variables:** too hard to solve!

# Other Graphical Models


- Directed
  - Bayesian Networks



- Undirected
  - Markov Network (Markov Random Field)
  - BN  $\rightarrow$  MN (**moralization**: marry all co-parents)




- Mixed
  - Chain Graph



# Other Graphical Models


Naïve Bayes



Conditional




Logistic Regression



Sequence




HMMs



Conditional




Linear-chain CRFs



General Graphs



Generative directed models



Conditional



General CRFs

